


# The Pointe-Bleue Series

BLHPB - Linear Pickle Ball Sports Lighting

Project	Date
<input type="text"/>	<input type="text"/>
Part	Type
<input type="text"/>	<input type="text"/>



## About The Pointe-Bleue Series

The BLHPB is a sports lighting fixture designed for efficient linear lighting of pickle ball courts and also works well for task lighting applications.

## Specifications

Supported Voltage	120-277V, 347V, 120-347V
Available Sizes	8'
Lumens	8' 38L (38000 lm)
Operating Temperature	-20°C/+25°C (-40°/+40°C upgrade)
CCT	2700K, 3000K, 3500K, 4000K, 5000K, 6500K
CRI	80+ standard, 90+ and 95+ available
Dimming	0-10V Standard
Mounting	Surface mount

## Approvals

- Dry and Damp Environment Rated
- Designed and Manufactured in Canada

## Warranty

- 5 Year Comprehensive, 10 Year LED

# The Pointe-Bleue Series

BLHPB - Linear Pickle Ball Sports Lighting

Sports Lighting Lighting  
by

**BJTAKE**  
LIGHTING

## Ordering Information

Fill in the fields below with your product selections. If you need help with this section, [contact your local sales professional](#).

Length  
**BLHPB - 8' - 38L - 840 - UNV**  
Fixture Series Lumen Output Voltage

1	2	3	4	5	6
BLHPB					
Series	Size	Lumen Output	CRI	CCT	Voltage
BLHPB	8'	38L 38000 lm	8 80 9 90+ 1 95+	27 2700K 30 3000K 35 3500K 40 4000K 50 5000K 65 6500K	UNV 120-277V 347 347V UN3 120-347V
7					

## Options

### Lenses

BLANK | Frosted Lens

### Cords

W3xx | White 16/3 (Specify Length)  
W4xx | Black 16/3 (Specify Length)  
W59xx | White 16/5 (Specify Length)  
W\*\*\* | Other Options Available

Key.	Cord Length.	Key	Cord Length
6	6FT	15	15FT
10	10FT	20	20FT

Ex. **W406** would be 16/3 Black, 6FT

### Finish

BLANK | Standard Gloss White  
C5 | Matte Black  
CUSTOM\* | Custom Colour Choice

### Dimming

B11 | 0-10V Dimming Leads  
B27 | Dim-to-off Driver  
B\*\* | Other Options Available

### Controls

WC19\* | Avi-on Wireless Controls  
WC22\* | JDRF Wireless Controls  
WC31\* | Keilton Wireless Controls

### Emergency Driver

B38 | UL924 15W Battery Backup  
F8 | UL924 Emergency Relay

### Packaging

BLANK | Individually Boxed on Pallets  
P0 | Bulk Packaging  
P\*\* | Other Options Available

### Modular Wiring

W27XYZC | Modular Power Cable  
W22XY | Molex Row Mounting Wiring

### Warranty




CL7 | 10-Year Comprehensive Warranty Upgrade

Certifications and Listings

Certifications that apply to this fixture and its possible configurations are listed here. More information available upon request.

Usage Applications

This fixture can be used in a variety of applications, and is ideal for the following:

Icon	Description
	Wireless Controls Available
	90 and 95+ CRI Options Available
	120-347V(UN3) Available

Usage Application
grammar schools
Pickle Ball Courts
Indoor Tennis Courts
Task Lighting

Warranty Statement

BJ Take products are tested and/or inspected prior to being packaged for shipment and are guaranteed from the day the product is shipped for a period of ten-year LED chip warranty and a five-year comprehensive component warranty. This can be upgraded to a ten-year comprehensive warranty on request.

# The Pointe-Bleue Series

BLHPB - Linear Pickle Ball Sports Lighting

Sports Lighting Lighting  
by



## Wattage information

Below are the available wattage tables for the BLHPB. More information is available upon request.

### BLHPB 8' Wattage

Size	Lumen Output	Actual Lumen Output	Fixture Wattage	Lumens per watt
8'	38L	38099	259.2	146.99

### BLHPB Light Loss Factor (LLF)

CCT	Output%
2700K	92.95
3000K	95.51
3500K	96.80
4000K	100.00
5000K	101.28
90CRI	84.72

\* Actual lumen output may vary

# The Pointe-Bleue Series

BLHPB - Linear Pickle Ball Sports Lighting


Sports Lighting Lighting  
by

**BJTAKE**  
LIGHTING


## Dimension Information

Below you will find the dimensions for all sizes of the BLHPB.


### BLHPB 8' Side



### End Dimensions



### BLHPB 8' Segment Dimensions




\* Drawings aren't to scale

\* Standard tolerances apply

\* Specifications may change without notice

BLHPB-8'-38L-850-UNV



- 0.0° - 180.0°
- 22.5° - 202.5°
- 45.0° - 225.0°
- 67.5° - 247.5°
- 90.0° - 270.0°
- 112.5° - 292.5°
- 135.0° - 315.0°
- 157.5° - 337.5°
- 180.0° - 360.0°

Mtg Height	Light Level	Beam Diameter
6.0 ft	205.3 fc	19.6 ft
8.0 ft	115.5 fc	26.2 ft
10.0 ft	73.9 fc	32.7 ft
12.0 ft	51.3 fc	39.2 ft
14.0 ft	37.7 fc	45.8 ft
16.0 ft	28.9 fc	52.3 ft
24.0 ft	12.8 fc	78.5 ft
32.0 ft	7.2 fc	104.7 ft
40.0 ft	4.6 fc	130.8 ft
48.0 ft	3.2 fc	157.0 ft
56.0 ft	2.4 fc	183.2 ft
64.0 ft	1.8 fc	209.3 ft

# The Pointe-Bleue Series

BLHPB - Linear Pickle Ball Sports Lighting

Sports Lighting Lighting  
by

**BJTAKE**  
LIGHTING

## Gallery Information

Below you will find images of relevant products and configurations for the BLHPB.

